

M & J Sunshine Corp.

3200 NW 119TH ST, Miami, Florida 33167 E-MAIL: info@motion.com www.mandjsunshine.com

Telephone: (305) 888 1155 Fax: (305) 888 1157

Safety data sheet

Page 1/9

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 24 April 2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: MECHA TOOL POWER STEERING FLUID
- · CAS number:

64742-54-7

· EC number:

265-157-1

· Index number:

649-467-00-8

- · 1.2 Details of the supplier of the Safety Data Sheet
- · Supplier:

M & J Sunshine Corp Made in U.S.A.

1.3 Emergency telephone number:

+1 (813) 888 1155 (International)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the Globally Harmonized System (GHS). The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The substance is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Trade name: MECHA TOOL POWER STEERING FLUID

(Cont'd, from page

- 1) The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.
- · Hazard pictograms None.
- · Signal word Not Regulated
- · Hazard statements None
- · Precautionary statements None.

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Substances
- · CAS No. Description

64742-54-7 distillates (petroleum), hydrotreated heavy paraffinic

- · Identification number(s) • **EC** number: 265-157-1 •
- Index number: 649-467-00-8
- · Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

(Cont'd. from page 2)

5.1 Extinguishing media

· Suitable extinguishing agents: Water

haze or fog

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away. ·

6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

• 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Do not flush with water or aqueous cleansing agents

Dispose of the material collected according to regulations. •

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid the formation of oil haze.

Open and handle receptacle with care.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

(Cont'd. on page 4)

(Cont'd. from page

3) Store away from water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed. •

Protection of hands:



Protective gloves

Oil resistant gloves ·

Eye protection:



Safety glasses

Goggles recommended during refilling

- · Body protection: Not required under normal conditions of use.
- · Limitation and supervision of exposure into the environment: No special requirements.
- · Risk management measures: No special requirements.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

Form: Oily Clear · Odour: Mild

Odour threshold: Not determined.pH-value: Not determined.

Melting point/freezing point: Not determined.
 Initial boiling point and boiling range: >350 °C (>662 °F)

• Flash point: $>200 \,^{\circ}\text{C} (>392 \,^{\circ}\text{F})$

(Cont'd. on page 5)

	(Cont'd. from page 4	
· Flammability (solid, gas):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits		
Lower: Not determined. Upp		
determined. · Oxidising properties	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C (68 °F):	0,90 ± 0,05 g/cm³ (7,51 lbs/gal)	
 Relative density: Not determined. 	. · Vapour density:	
Not determined. • Evaporation rate:	Not determined.	
· Solubility in / Miscibility with water: Not miscible or difficult to mix.		
· Partition coefficient: n-octanol/water: Not determined.		
· Viscosity		
Dynamic at 40 °C (104 °F):	37 cSt	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid Store away from oxidising agents.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Hydrocarbons

Possible in traces: Nitrogen

oxides (NOx)

Sulphur oxides (SOx)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

(Cont'd. on page 6)

(Cont'd. from page 5)

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
 - · IARC (International Agency for Research on Cancer):

71-43-2 benzene

1

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Trade name: MECHA TOOL POWER STEERING FLUID

SECTION 12: Ecological information

· 12.1 Toxicity · Aquatic toxicity: No further relevant

information available.

- · 12.2 Persistence and degradability Not easily biodegradable. ·
- 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Avoid release to the environment.
- · 12.5 Results of PBT and vPvB

assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be reused after reprocessing.

Delivery of waste oil to officially authorized collectors only.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. · Uncleaned packaging:

> (Cont'd. on page 7) (Cont'd. from page

6) · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
4.4.4 UNI Niversia on		
· 14.1 UN-Number		
· DOT, ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name 		
· DOT, ADR, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	Not Regulated	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental		
hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

14.7 Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65 (California):

W ARNING: This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

· EPA (Environmental Protection Agency)

Substance is not listed.



(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name	e: MECHA TOOL POWER STEERING FLUID
	(Cont'd. from page 7
· IARC (I	nternational Agency for Research on Cancer)
71-43-2	benzene
· NIOSH-	Ca (National Institute for Occupational Safety and Health)
71-43-2	benzene
· Canadi	an Domestic Substances List (DSL)
Substar	nce is listed.
· Directive	2012/18/EU
· Named o	langerous substances - ANNEX I Substance is not listed.
· Other re	gulations, limitations and prohibitive regulations
· Substan	ces of very high concern (SVHC) according to REACH, Article 57
Substanc	e is not listed.
· 15.2 Ch	emical safety assessment: A Chemical Safety Assessment has not been carried out.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: MECHA TOOL POWER STEERING FLUID

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. • **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Sources

Website, European Chemicals Agency (echa.europa.eu)

W ebsite, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

(Cont'd. from page 8)