

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Topper Tractor Hydraulic Fluid

Recommended Use: Hydraulic fluid for tractors, transmissions, wet brakes, and power systems.

Manufacturer: M&J Sunshine

Website: www.mandjsunshine.com

Emergency Phone Number: 305 888 1155

SECTION 2: HAZARD IDENTIFICATION

GHS Classification: Not classified as hazardous under GHS.

Hazard Statements: May cause mild irritation to eyes or skin with prolonged contact.

Precautions:

- Avoid prolonged skin contact.
- Do not ingest.
- Keep out of reach of children.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture of paraffinic base oils and specialized additives.

Ingredients are non-hazardous at current concentration levels.

SECTION 4: FIRST AID MEASURES

Skin Contact: Wash with soap and water.

Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes.

Inhalation: Move to fresh air. Seek medical attention if symptoms persist.

Ingestion: Do not induce vomiting. Seek medical advice.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point: >200°C

Extinguishing Media: Foam, carbon dioxide, dry chemical.

Specific Hazards: May produce irritating fumes when burned.

Protective Equipment: Self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain the spill.

Use absorbent material (sand, earth).

Prevent entry into drains or waterways.

Dispose of according to local regulations.

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, and well-ventilated place.

Keep container tightly closed.

Avoid prolonged exposure to sunlight.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye Protection: Safety glasses.

Skin Protection: Chemical-resistant gloves.

Ventilation: Adequate ventilation to prevent vapor buildup.

Exposure Limits: Not specifically established.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Amber

Odor: Mild / characteristic

SAE Grade: 10W-20/30

Pour Point: -45°F

API Gravity (60°F): 30.3

Viscosity Index: 137

Viscosity at 40°C (cSt): 61

Flash Point: >200°C

Brookfield Viscosity (-20°C): 5500 cP

Brookfield Viscosity (-35°C): 70,000 cP max.

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Reactivity: No known hazardous reactions.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: Strong oxidizing agents.

Decomposition Products: Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

May cause mild skin and eye irritation.

No known chronic effects.

Not classified as carcinogenic.

SECTION 12: ECOLOGICAL INFORMATION

Mobility: Low mobility in soil.

Biodegradability: Partially biodegradable.

Aquatic Toxicity: Avoid release into the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.
Do not discharge into sewers or waterways.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous material for transport.

SECTION 15: REGULATORY INFORMATION

This product is not regulated as hazardous under international regulations.
Complies with general requirements for industrial lubricants.

SECTION 16: OTHER INFORMATION

This safety data sheet is based on available technical information. The user is responsible for evaluating its specific use and application.