



MECHA TOOL® DOT 3 BRAKE FLUID
Líquido de frenos Dot 3 Trabajo pesado

MECHA TOOL® DOT 3 BRAKE FLUID



Mecha Tool® DOT 3 Brake Fluid is a glycol based hydraulic brake fluid. It is formulated to be used in disc and drum brakes, foreign and domestic cars, trucks, and motorcycles where a DOT 3 product is specified.

Mecha Tool® DOT 3 Brake Fluid contains oxidation and corrosion inhibitors to protect the metallic components of the brake system. It resists the oxidation caused by the high temperatures encountered in modern disc brake systems.

Features/ Benefits

- Minimize leakage with excellent compatibility with elastomeric system components.
- Long Service Life with resistance to oxidation and corrosion.
- High temperature stability.
- Low temperature fluidity.
- Minimum dry boiling point > 401°F.
- Minimum wet boiling point >284°F.

PACKAGING: 3 Gal box, 12 qts box, 12 Oz box.

TYPICAL TEST DATA ATF

Properties	Data
Dry Boiling Point	>401°F
Wet Boiling Point	>284°F
pH	10.5
Kinematic Viscosity @-40°C cSt	1450
Specific Gravity	1.02
Color	Light amber
Appearance	Clear
Corrosion	Pass
Rubber Swell	Pass
Evaporation/Weight Loss	45%



Made in U.S.A.