



LITHIUM-BASED TOPPER MULTIPURPOSE GREASE

TOPPER Multipurpose Lithium-based grease is classified by the NLGI as #2. It is made from Lithium, is water resistant and is suitable for automobiles, medium-sized vehicles, agricultural farms and industry in general. It is recommended for chassis lubrication, bearing lubrication in general and different lubrication points. It seals out dust and other contaminants, and is formulated with antioxidant components, offering great stability over its operating period.

BENEFITS

TOPPER Multipurpose Grease based on Lithium:

- Provides excellent water resistance.
- Provides excellent resistance to rust and corrosion.
- Contains anti-wear protection.
- Remains resistant and consistent in high temperatures.
- Compatible with other Lithium grease.

RECOMMENDATIONS/SPECIFICATIONS

Meets NLGI GB requirements

APPLICATIONS

TOPPER Multipurpose Lithium-based Grease is recommended for the following applications:

- General lubrication for all types of vehicles.
- Lubrication in agricultural machinery
- Lubrication in the industry in general.

It is not recommended for disc brake bearings.

SPECIAL MANAGEMENT AND RECOMMENDATIONS

Apply and handle with the same precautions as handling petroleum products.



LITHIUM-BASED TOPPER MULTIPURPOSE GREASE		
Propiedades	ASTM-D Test Method	Result
All applications		
Appearance	Visual	Dark
Consistency	Visual	soft
Soap Type		Litio
Grade NLGI		2
Clasificación NLGI		GB
Penetration	217	265-295
Drop Point (°C/°F)	2265	171(340)
Separation	1742	<10
Base Oil Viscosity	445	
cSt @ 40 °C		152
cSt @ 100 °C		11.8
Viscosity Index	2270	40
AUTOMOBILES APPLICATION		
Waterproof	1264	10%
Duration at high temperatures, hrs	3527	40
Cambios de Elasticidad @ 100 °C	4289	
Volumen %		10
Dureza %		-2
4 Ball Wear Scar Diam., mm	2266	-<0.6
Oxidation Test	1743	Pass
Torque at Low Temperatures N-m	4693	15.5
APPLICATION INDUSTRIAL		
Test Timken Ok lbs.	2509	30

Results are only averages. There may be minor variations that will not affect normal operation.

M & J Sunshine, Corp.
3200 NW 119 TH 33167
Tel :(305) 888 1155